





To: Shore, Berry[Shore.Berry@epa.gov]
From: Enck, Judith
Sent: Wed 7/20/2016 8:49:25 PM
Subject: FW: Google Alert - PFOA

From: Google Alerts [mailto:googlealerts-noreply@google.com]
Sent: Wednesday, July 20, 2016 4:01 PM
To: Enck, Judith <Enck.Judith@epa.gov>
Subject: Google Alert - PFOA

PFOA	
Daily update <input type="checkbox"/> July 20, 2016	
NEWS	
<u>PFOA, PFOS Likely Hazardous to Immune System: Scientists</u>	
Bloomberg BNA	
If drinking water concentrations for both PFOA and PFOS are kept below the EPA's benchmark of 0.07 micrograms per liter or 70 parts per trillion for a ...	
	Flag as irrelevant
	
<u>Residents sign up for PFOA blood testing</u>	
The Union Leader	
Residents in Amherst, Bedford, Litchfield, Manchester and Merrimack who utilize private wells and are receiving bottled water because of PFOA ...	
	Flag as irrelevant
<u>Saint-Gobain, Honeywell submit plans to study PFOA sites</u>	
Bennington Banner (subscription)	

HOOSICK FALLS, N.Y. >> The companies being held responsible for **PFOA** contamination have submitted work plans that state officials say are ...

 [Flag as irrelevant](#)




Bucks County
Courier Times

Chalfont area well closed after contaminated water detected

Bucks County Courier Times

The well contained 68 ppt of perfluorooctane sulfonate (PFOS) and perfluorooctanoic acid (**PFOA**), according to a company statement. The level is ...

 [Flag as irrelevant](#)



New Hampshire
Public Radio

Processing **PFOA** Blood Tests Will Take Months, Warns State Epidemiologist

New Hampshire Public Radio

Residents in Southern NH exposed to high levels of **PFOA** can begin getting their blood tested, but those blood tests will likely take months to be ...

 [Flag as irrelevant](#)

Plaintiffs in New Hampshire **PFOA** Water Contamination Class Action Suit Move to Remand Claims

HarrisMartin Publishing

CONCORD, N.H. — Plaintiffs asserting **PFOA** water contamination claims have moved to remand their suit, contending in part that the defendant ...

 [Flag as irrelevant](#)

DuPont found liable in second of 3400 cancer cases

Royal Society of Chemistry

DuPont is accused of releasing hundreds of tonnes of **PFOA** into the Ohio River over decades. This is the company's second loss in a series of ...



[Flag as irrelevant](#)

You have received this email because you have subscribed to **Google Alerts**.

[Unsubscribe](#)

[Receive this alert as RSS feed](#)

[Send Feedback](#)